12/16/24, 8:40 PM

HYBRID / BATTERY CONTROL: MOTOR GENERATOR CONTROL SYSTEM (for PHEV Model): P0E5717; DC/DC Converter Vol...

| Last Modified: 12-04-2024  | 6.11:8.1.0                  | Doc ID: RM10000002BHSV                       |  |  |  |  |
|--|-----------------------------|--|--|--|--|--|
| Model Year Start: 2023   | Model: Prius Prime          | Prod Date Range: [03/2023 - ]                |  |  |  |  |
| Title: HYBRID / BATTERY CONTROL: MOTOR GENERATOR CONTROL SYSTEM (for PHEV Model): P0E5717; DC/DC |                             |  |  |  |  |  |
| Converter Voltage Sensor "A"(VL) C   | ircuit Voltage Above Thresh | old; 2023 - 2024 MY Prius Prime [03/2023 - ] |  |  |  |  |

DTC

P0E5717 DC/D

DC/DC Converter Voltage Sensor "A"(VL) Circuit Voltage Above Threshold

## **DTC SUMMARY**

### MALFUNCTION DESCRIPTION

If an overvoltage malfunction occurs in the motor inverter or generator inverter, the motor generator control ECU (MG ECU) detects the malfunction and stores this DTC. The cause of this malfunction may be one of the following:

| AREA                                 | MAIN MALFUNCTION DESCRIPTION   |
|--------------------------------------|--|
| Hybrid vehicle transaxle<br>assembly | <ul> <li>Open or short circuit in the motor or generator coils</li> <li>Motor (MG2) or generator (MG1) internal malfunction (iron particles or damage from foreign objects)</li> </ul>                                     |
| Resolver                             | Open or short circuit in the motor resolver or generator resolver circuit  |
| HV battery                           | <ul> <li>Open in system main relay circuit</li> <li>Open in EV fuse circuit</li> <li>Open in an HV floor under wire</li> <li>HV battery malfunction</li> </ul>   |
| Inverter                             | <ul> <li>Inverter internal circuit malfunction</li> <li>Malfunction in ECU that controls the inverter</li> <li>Malfunction in the sensors for inverter control (current sensor, voltage sensors (VH, VL), etc.)</li> </ul> |

## **DESCRIPTION**

For a description of the boost converter.

Click here

| DTC<br>NO. | DETECTION<br>ITEM                  | DTC DETECTION<br>CONDITION  | TROUBLE AREA | MIL         | WARNING<br>INDICATE | DTC<br>OUTPUT<br>FROM | PRIORITY | NOTE                  |
|------------|------------------------------------|---|--------------|-------------|---------------------|-----------------------|----------|-----------------------|
| P0E5717    | Converter<br>Voltage<br>Sensor "A" | Boost converter<br>overvoltage signal<br>detected<br>(overvoltage due<br>to system<br>malfunction): |              | Comes<br>on |                     | Motor<br>Generator    |          | SAE<br>Code:<br>P0E57 |

12/16/24, 8:40 PM

HYBRID / BATTERY CONTROL: MOTOR GENERATOR CONTROL SYSTEM (for PHEV Model): P0E5717; DC/DC Converter Vol...

| DTC<br>NO. | DETECTION<br>ITEM | DTC DETECTION<br>CONDITION   | TROUBLE AREA  | MIL | WARNING<br>INDICATE | DTC<br>OUTPUT<br>FROM | PRIORITY | NOTE |
|------------|-------------------|--|---|-----|---------------------|-----------------------|----------|------|
|            |                   | Overvoltage is<br>detected before<br>boosting.<br>A malfunction is<br>detected in any<br>of the boost<br>converter<br>components<br>(inverter, hybrid<br>vehicle transaxle<br>assembly, motor<br>generator control<br>ECU, etc.).<br>(1 trip detection<br>logic) | <ul> <li>Hybrid<br/>vehicle<br/>transaxle<br/>assembly</li> <li>No. 1<br/>traction<br/>battery<br/>device box<br/>assembly</li> <li>PCU NO. 1<br/>fuse</li> <li>Service<br/>plug grip</li> <li>Hybrid<br/>vehicle<br/>control<br/>ECU</li> <li>Wire<br/>harness or<br/>connector</li> </ul> |     |                     |                       |          |      |

## **MONITOR DESCRIPTION**

If the boost converter detects overvoltage, it transmits an overvoltage signal to the motor generator control ECU. Upon receiving this signal, the motor generator control ECU will illuminate the MIL and store a DTC.

## **MONITOR STRATEGY**

| Related DTCs                | P0E57 (INF P0E5717): OVL detection (Over voltage malfunction) |
|-----------------------------|---|
| Required sensors/components | Boost converter   |
| Frequency of operation      | Continuous  |
| Duration                    | TMC's intellectual property                                   |
| MIL operation               | 1 driving cycle   |
| Sequence of operation       | None  |

# **TYPICAL ENABLING CONDITIONS**

| The monitor will run whenever the following DTCs are not stored | TMC's intellectual property |
|---|-----------------------------|
| Other conditions belong to TMC's intellectual property          | -                           |

# **TYPICAL MALFUNCTION THRESHOLDS**

| TMC's intellectual property | - |  |
|-----------------------------|---|--|
|-----------------------------|---|--|

# **COMPONENT OPERATING RANGE**

| Motor generator control ECU | DTC P0E57 (INF P0E5717) is not detected |  |
|-----------------------------|---|--|
|-----------------------------|---|--|

### **CONFIRMATION DRIVING PATTERN**

#### HINT:

 After repair has been completed, clear the DTC and then check that the vehicle has returned to normal by performing the following All Readiness check procedure.

#### Click here

• When clearing the permanent DTCs, refer to the "CLEAR PERMANENT DTC" procedure.



- 1. Clear the DTCs (even if no DTCs are stored, perform the clear DTC procedure).
- 2. Turn the ignition switch off and wait for 2 minutes or more.
- 3. Turn the ignition switch to ON and wait for 5 seconds or more. [\*1]
- 4. Turn the ignition switch to ON (READY) and wait for 5 seconds or more. [\*2]
- 5. Press the HV EV CHG HOLD mode switch to enter HV drive mode. [\*3]
- 6. Depress the accelerator pedal of the vehicle with the engine stopped and shift lever in P to start the engine. [\*4]

#### **NOTICE:**

As the state of charge of the HV battery may be low after driving in fail-safe mode, it will automatically be charged for 5 to 10 minutes with ignition switch ON (READY) after repairs have been performed.

### HINT:

[\*1] to [\*4]: Normal judgment procedure.

The normal judgment procedure is used to complete DTC judgment and also used when clearing permanent DTCs.

- 7. Enter the following menus: Powertrain / Motor Generator / Utility / All Readiness.
- 8. Check the DTC judgment result.

#### HINT:

- If the judgment result shows NORMAL, the system is normal.
- If the judgment result shows ABNORMAL, the system has a malfunction.
- If the judgment result shows INCOMPLETE, perform the normal judgment procedure again.

### WIRING DIAGRAM

Refer to the wiring diagram for the Generator Resolver Circuit.

Click here

Refer to the wiring diagram for the Motor Resolver Circuit.

Click here

Refer to the wiring diagram for the Generator High-voltage Circuit.

Click here

Refer to the wiring diagram for the Motor High-voltage Circuit.

Click here

Refer to the wiring diagram for the HV Battery High-voltage Line Circuit.

Click here

Refer to the wiring diagram for the Inverter Low-voltage Circuit.

Click here

### **CAUTION / NOTICE / HINT**

### **CAUTION:**

Refer to the precautions before inspecting high voltage circuit.

Click here

#### **NOTICE:**

• After the ignition switch is turned off, there may be a waiting time before disconnecting the negative (-) auxiliary battery terminal.

Click here

• When disconnecting and reconnecting the auxiliary battery.

### HINT:

When disconnecting and reconnecting the auxiliary battery, there is an automatic learning function that completes learning when the respective system is used.

Click here

#### HINT:

P0E5717 may be output as a result of the malfunction indicated by the DTCs in table below.

- a. The chart above is listed in inspection order of priority.
- b. Check DTCs that are output at the same time by following the listed order. (The main cause of the malfunction can be determined without performing unnecessary inspections.)

### Table 1

| MALFUNCTION CONTENT                                   | SYSTEM                      |         | RELEVANT DTC   |
|---|-----------------------------|---------|--|
|   |                             | P1C7C49 | Hybrid/EV Battery Voltage System Isolation (A/C Area)<br>Internal Electronic Failure               |
|   |                             | P1C7D49 | Hybrid/EV Battery Voltage System Isolation (Hybrid/EV<br>Battery Area) Internal Electronic Failure |
| Insulation malfunction                                | Hybrid<br>control<br>system | P1C7E49 | Hybrid/EV Battery Voltage System Isolation (Transaxle<br>Area) Internal Electronic Failure         |
|   |                             | P1C7F49 | Hybrid/EV Battery Voltage System Isolation (Direct Current<br>Area) Internal Electronic Failure    |
|   |                             | P1C8049 | Hybrid/EV Battery Voltage System Isolation (Rear Motor<br>Area) Internal Electronic Failure        |
| System main relay or high voltage circuit malfunction | Hybrid<br>control           | P0AD911 | Hybrid/EV Battery Positive Contactor Circuit Short to Ground                                       |
|   | system                      | P0AD915 | Hybrid/EV Battery Positive Contactor Circuit Short to<br>Auxiliary Battery or Open                 |
|   |                             | P0ADD11 | Hybrid/EV Battery Negative Contactor Circuit Short to Ground                                       |
|   |                             |         |  |

| MALFUNCTION CONTENT    | SYSTEM            | RELEVANT DTC |  |  |
|------------------------|-------------------|--------------|--|--|
|                        |                   | P0ADD15      | Hybrid/EV Battery Negative Contactor Circuit Short to<br>Auxiliary Battery or Open             |  |
|                        | 1                 | P1C8449      | High Voltage Power Resource Circuit Short during Ready ON                                      |  |
| HV battery malfunction |                   | P0A1F94      | Hybrid/EV Battery Energy Control Module Unexpected<br>Operation                                |  |
|                        | Hybrid            | P0ABF00      | Hybrid/EV Battery Current Sensor "A" Circuit<br>Range/Performance                              |  |
|                        | control<br>system | P0B231C      | Hybrid/EV Battery "A" Voltage Sensor Voltage Out of Range                                      |  |
|                        | System            | P31B300      | Hybrid/EV Battery Voltage High   |  |
|                        |                   | U011187      | Lost Communication with Hybrid/EV Battery Energy Contro<br>Module "A" Missing Message          |  |
|                        | Hybrid            | P056014      | System Voltage (BATT) Circuit Short to Ground or Open  |  |
|                        | battery<br>system | P060629      | Hybrid/EV Battery Energy Control Module Processor to<br>Monitoring Processor Signal Invalid    |  |
|                        |                   | P060687      | Hybrid/EV Battery Energy Control Module Processor to<br>Monitoring Processor Missing Message   |  |
|                        |                   | P060A47      | Hybrid/EV Battery Energy Control Module Monitoring<br>Processor Watchdog / Safety MCU Failure  |  |
|                        |                   | P060A87      | Hybrid/EV Battery Energy Control Module Processor from<br>Monitoring Processor Missing Message |  |
|                        |                   | P060B16      | Hybrid/EV Battery Energy Control Module A/D Processing<br>Circuit Voltage Below Threshold      |  |
|                        |                   | P060B49      | Hybrid/EV Battery Energy Control Module A/D Processing<br>Internal Electronic Failure          |  |
|                        |                   | P0ABF11      | Hybrid/EV Battery Current Sensor "A" Circuit Short to Ground                                   |  |
|                        |                   | P0ABF15      | Hybrid/EV Battery Current Sensor "A" Circuit Short to<br>Auxiliary Battery or Open             |  |
|                        |                   | P0ABF28      | Hybrid/EV Battery Current Sensor "A" Signal Bias Level Our of Range / Zero Adjustment Failure  |  |
|                        |                   | P0ABF2A      | Hybrid/EV Battery Current Sensor "A" Signal Stuck In<br>Range                                  |  |
|                        |                   | POB0E11      | Hybrid/EV Battery Current Sensor "B" Circuit Short to Ground                                   |  |
|                        |                   | POB0E15      | Hybrid/EV Battery Current Sensor "B" Circuit Short to<br>Auxiliary Battery or Open             |  |
|                        |                   | P0B1362      | Hybrid/EV Battery Current Sensor "A"/"B" Signal Compare<br>Failure                             |  |
|                        |                   | P0E2D00      | Hybrid/EV Battery Energy Control Module Hybrid/EV<br>Battery Monitor Performance               |  |

| MALFUNCTION CONTENT | SYSTEM |         | RELEVANT DTC   |
|---------------------|--------|---------|--|
|                     |        | P1A001C | Hybrid Battery Stack 2 Cell Voltage Detection Voltage Out of Range                         |
|                     |        | P1A051C | Hybrid Battery Stack 3 Cell Voltage Detection Voltage Out of Range                         |
|                     |        | P1A0A1C | Hybrid Battery Stack 4 Cell Voltage Detection Voltage Out of Range                         |
|                     |        | P1A6017 | Hybrid/EV Battery Stack 2 Cell Circuit Voltage Above<br>Threshold                          |
|                     |        | P1A6116 | Hybrid/EV Battery Stack 2 Cell Circuit Voltage Below<br>Threshold                          |
|                     |        | P1A6317 | Hybrid/EV Battery Stack 3 Cell Circuit Voltage Above<br>Threshold                          |
|                     |        | P1A6416 | Hybrid/EV Battery Stack 3 Cell Circuit Voltage Below<br>Threshold                          |
|                     |        | P1A6617 | Hybrid/EV Battery Stack 4 Cell Circuit Voltage Above<br>Threshold                          |
|                     |        | P1A6716 | Hybrid/EV Battery Stack 4 Cell Circuit Voltage Below<br>Threshold                          |
|                     |        | P1A8100 | Hybrid/EV Battery Stack 1 Delta SOC High (Extreme)   |
|                     |        | P1A8600 | Hybrid/EV Battery Stack 2 Delta SOC High (Extreme)   |
|                     |        | P1A8B00 | Hybrid/EV Battery Stack 3 Delta SOC High (Extreme)   |
|                     |        | P1A9100 | Hybrid/EV Battery Stack 4 Delta SOC High (Extreme)   |
|                     |        | P1AC413 | Hybrid/EV Battery Stack 1 Current Interrupt Device Circuit Open                            |
|                     |        | P1AC49E | Hybrid/EV Battery Stack 1 Current Interrupt Device Stuck<br>On                             |
|                     |        | P1AC513 | Hybrid/EV Battery Stack 2 Current Interrupt Device Circuit Open                            |
|                     |        | P1AC59E | Hybrid/EV Battery Stack 2 Current Interrupt Device Stuck<br>On                             |
|                     |        | P1AC613 | Hybrid/EV Battery Stack 3 Current Interrupt Device Circuit<br>Open                         |
|                     |        | P1AC69E | Hybrid/EV Battery Stack 3 Current Interrupt Device Stuck<br>On                             |
|                     |        | P1AC713 | Hybrid/EV Battery Stack 4 Current Interrupt Device Circuit Open                            |
|                     |        | P1AC79E | Hybrid/EV Battery Stack 4 Current Interrupt Device Stuck<br>On                             |
|                     |        | P1AFD00 | Flying Capacitor Circuit Voltage Out of Range  |
|                     |        | P1AFD1C | Flying Capacitor/Internal Control Module Hybrid/EV Battery<br>Monitor Voltage Out of Range |

| MALFUNCTION CONTENT    | SYSTEM            | RELEVANT DTC |  |  |  |
|------------------------|-------------------|--------------|--|--|--|
|                        |                   | P1CBB12      | Hybrid/EV Battery Current Sensor Power Supply Circuit<br>Short to Auxiliary Battery  |  |  |
|                        | J                 | P1CBB14      | Hybrid/EV Battery Current Sensor Power Supply Circuit<br>Short to Ground or Open   |  |  |
| HV battery malfunction | Hybrid            | P1CC81E      | Hybrid/EV Battery Stack 1 Voltage Difference Out of Range  |  |  |
|                        | battery<br>system | P1CC91E      | Hybrid/EV Battery Stack 2 Voltage Difference Out of Range  |  |  |
|                        | system            | P1CCA1E      | Hybrid/EV Battery Stack 3 Voltage Difference Out of Rang   |  |  |
|                        |                   | P1CCB1E      | Hybrid/EV Battery Stack 4 Voltage Difference Out of Rang   |  |  |
|                        |                   | P2BE411      | Hybrid/EV Battery Pack Current Sensor "C" Low Circuit<br>Short to Ground   |  |  |
|                        |                   | P2BE415      | Hybrid/EV Battery Pack Current Sensor "C" High Circuit<br>Short to Auxiliary Battery or Open                                       |  |  |
|                        |                   | P2BE41C      | Hybrid/EV Battery Pack Current Sensor "C" Circuit<br>Range/Performance Circuit Voltage Out of Range                                |  |  |
|                        |                   | P2BE428      | Hybrid/EV Battery Pack Current Sensor "C" Circuit<br>Range/Performance Signal Bias Level Out of Range / Zero<br>Adjustment Failure |  |  |
|                        |                   | P301A1C      | Hybrid Battery Stack 1 Cell Voltage Detection Voltage Out<br>of Range  |  |  |
|                        |                   | P31AA17      | Hybrid/EV Battery Stack 1 Cell Circuit Voltage Above<br>Threshold  |  |  |
|                        |                   | P31AB16      | Hybrid/EV Battery Stack 1 Cell Circuit Voltage Below<br>Threshold  |  |  |
|                        |                   | P33DA1E      | Hybrid/EV Battery Stack 1 Circuit Resistance Out of Range  |  |  |
|                        |                   | P33DB1E      | Hybrid/EV Battery Stack 2 Circuit Resistance Out of Range  |  |  |
|                        |                   | P33DC1E      | Hybrid/EV Battery Stack 3 Circuit Resistance Out of Range  |  |  |
|                        |                   | P33DD1E      | Hybrid/EV Battery Stack 4 Circuit Resistance Out of Range  |  |  |
|                        |                   | P33E01B      | Hybrid/EV Battery Stack 1 Circuit Resistance Above<br>Threshold  |  |  |
|                        |                   | P33E11B      | Hybrid/EV Battery Stack 2 Circuit Resistance Above<br>Threshold  |  |  |
|                        |                   | P33E21B      | Hybrid/EV Battery Stack 3 Circuit Resistance Above<br>Threshold  |  |  |
|                        |                   | P33E31B      | Hybrid/EV Battery Stack 4 Circuit Resistance Above<br>Threshold  |  |  |
|                        |                   | P33EC16      | (Extreme) Hybrid/EV Battery Stack 1 Cell Circuit Voltage<br>Below Threshold  |  |  |
|                        |                   | P33ED16      | (Extreme) Hybrid/EV Battery Stack 2 Cell Circuit Voltage<br>Below Threshold  |  |  |
|                        |                   | P33EE16      | (Extreme) Hybrid/EV Battery Stack 3 Cell Circuit Voltage Below Threshold   |  |  |

| MALFUNCTION CONTENT | SYSTEM | RELEVANT DTC |   |  |
|---------------------|--------|--------------|---|--|
|                     |        | P33EF16      | (Extreme) Hybrid/EV Battery Stack 4 Cell Circuit Voltage<br>Below Threshold                               |  |
|                     |        | U029387      | Lost Communication with Hybrid/EV Powertrain Control<br>Module Missing Message                            |  |
|                     |        | U115087      | Lost Communication with Hybrid Powertrain Control Module<br>(Hybrid/EV Battery Local Bus) Missing Message |  |

### Table 2

| MALFUNCTION<br>CONTENT | SYSTEM          |         | RELEVANT DTC   |  |  |  |  |         |  |
|------------------------|-----------------|---------|--|--|--|--|--|---------|--|
| Microcomputer          | Motor generator | P0A1A47 | Generator Control Module Watchdog / Safety MC Failure  |  |  |  |  |         |  |
| malfunction            | control system  | P0A1A49 | Generator Control Module Internal Electronic Failure   |  |  |  |  |         |  |
|                        |                 | P0A1B1F | Generator Control Module Circuit Intermittent  |  |  |  |  |         |  |
|                        |                 | P0A1B47 | Drive Motor "A" Control Module Watchdog / Safety MC<br>Failure   |  |  |  |  |         |  |
|                        |                 | P0A1C47 | Drive Motor "B" Control Module Watchdog / Safety MCU<br>Failure  |  |  |  |  |         |  |
|                        |                 | P0A1C49 | Drive Motor "B" Control Module Internal Electronic Failure   |  |  |  |  |         |  |
|                        |                 | P1C2A1C | Generator A/D Converter Circuit Circuit Voltage Out of Range   |  |  |  |  |         |  |
|                        |                 | P1C2A49 | Generator A/D Converter Circuit Internal Electronic Failure  |  |  |  |  |         |  |
|                        |                 | P1C2A71 | Generator A/D Converter Circuit Actuator Stuck   |  |  |  |  |         |  |
|                        |                 | P1C2B1C | Drive Motor "A" Control Module A/D Converter Circuit<br>Voltage Out of Range   |  |  |  |  |         |  |
|                        |                 | P1C2B49 | Drive Motor "A" Control Module A/D Converter Circuit<br>Internal Electronic Failure  |  |  |  |  |         |  |
|                        |                 | P1C2B71 | Drive Motor "A" Control Module A/D Converter Circuit<br>Actuator Stuck   |  |  |  |  |         |  |
|                        |                 | P1C2C1C | Drive Motor "B" Control Module AD Converter Circuit Voltage<br>Out of Range  |  |  |  |  |         |  |
|                        |                 | P1C2C49 | Drive Motor "B" Control Module AD Converter Internal<br>Electronic Failure   |  |  |  |  |         |  |
|                        |                 |         |  |  |  |  |  | P1C2C71 | Drive Motor "B" Control Module A/D Converter Circuit<br>Actuator Stuck |
|                        |                 | P310A83 | Communication Error from Drive Motor "B" to Drive Motor<br>"A" Value of Signal Protection Calculation Incorrect                    |  |  |  |  |         |  |
|                        |                 | P310A86 | Communication Error from Drive Motor "B" to Drive Motor<br>"A" Signal (Some Circuit Quantity, Reported via Serial Data)<br>Invalid |  |  |  |  |         |  |
|                        |                 | P310A87 | Communication Error from Drive Motor "B" to Drive Motor<br>"A" Missing Message   |  |  |  |  |         |  |

| MALFUNCTION<br>CONTENT           | SYSTEM                            |         | RELEVANT DTC  |  |  |
|----------------------------------|-----------------------------------|---------|---|--|--|
|                                  |                                   | P310B83 | Communication Error from Drive Motor "A" to Drive Motor<br>"B" Value of Signal Protection Calculation Incorrect                             |  |  |
|                                  |                                   | P310B86 | Communication Error from Drive Motor "A" to Drive Motor<br>"B" Signal (Some Circuit Quantity, Reported via Serial Data)<br>Invalid          |  |  |
|                                  |                                   | P310B87 | Communication Error from Drive Motor "A" to Drive Motor<br>"B" Missing Message  |  |  |
|                                  |                                   | P313383 | Communication Error from Generator to Drive Motor "A"<br>Value of Signal Protection Calculation Incorrect                                   |  |  |
|                                  |                                   | P313386 | Communication Error from Generator to Drive Motor "A"<br>Signal Invalid   |  |  |
|                                  |                                   | P313387 | Communication Error from Generator to Drive Motor "A"<br>Missing Message  |  |  |
|                                  |                                   | P313483 | Communication Error from Drive Motor "A" to Generator<br>Value of Signal Protection Calculation Incorrect                                   |  |  |
|                                  |                                   | P313486 | Communication Error from Drive Motor "A" to Generator<br>Signal Invalid   |  |  |
|                                  |                                   | P313487 | Communication Error from Drive Motor "A" to Generator<br>Missing Message  |  |  |
|                                  |                                   | P32BF83 | Lost Communication between Drive Motor "A" and "B"<br>(Drive Motor "A") Value of Signal Protection Calculation<br>Incorrect                 |  |  |
|                                  |                                   | P32BF86 | Lost Communication between Drive Motor "A" and "B"<br>(Drive Motor "A") Signal (Some Circuit Quantity, Reported<br>via Serial Data) Invalid |  |  |
|                                  |                                   | P32BF87 | Lost Communication between Drive Motor "A" and "B"<br>(Drive Motor "A") Missing Message   |  |  |
|                                  |                                   | P32CF83 | Lost Communication between Drive Motor "A" and "B"<br>(Drive Motor "B") Value of Signal Protection Calculation<br>Incorrect                 |  |  |
|                                  |                                   | P32CF86 | Lost Communication between Drive Motor "A" and "B"<br>(Drive Motor "B") Signal (Some Circuit Quantity, Reported<br>via Serial Data) Invalid |  |  |
|                                  |                                   | P32CF87 | Lost Communication between Drive Motor "A" and "B"<br>(Drive Motor "B") Missing Message   |  |  |
|                                  | Hybrid control                    | P06881F | ECM/PCM Power Relay Sense Circuit Intermittent  |  |  |
|                                  | system                            | P0A1B49 | Drive Motor "A" Control Module Internal Electronic Failure  |  |  |
| Power source circuit nalfunction | Motor generator<br>control system | P06B01C | Generator Control Module Position Sensor REF Power Source Circuit Voltage Out of Range  |  |  |
|                                  |                                   | P06B31C | Drive Motor "B" Control Module Position Sensor REF Power<br>Source Circuit Voltage Out of Range   |  |  |

| MALFUNCTION SYSTEM<br>CONTENT           |                                   | RELEVANT DTC |  |  |
|---|-----------------------------------|--------------|--|--|
|   |                                   | P06D61C      | Generator Control Module Offset Power Circuit Voltage Out of Range                     |  |
|   |                                   | P19F81C      | Generator Control Module Offset Power Circuit Voltage Out of Range                     |  |
|   |                                   | P19F91C      | Drive Motor "B" Control Module Offset Power Circuit Voltage<br>Out of Range            |  |
|   |                                   | P26DF1C      | Generator Control Module Position Sensor REF Power Source Circuit Voltage Out of Range |  |
| Communication                           | Motor generator<br>control system | U11B387      | Lost Communication with Hybrid/EV Powertrain Control<br>Module (ch5) Missing Message   |  |
| malfunction                             | Hybrid control<br>system          | U117E87      | Lost Communication with Drive Motor Control Module "A"<br>(ch4) Missing Message        |  |
| Sensor and actuator circuit malfunction | Motor generator<br>control system | P0A3F16      | Drive Motor "A" Position Sensor Circuit Voltage Below<br>Threshold                     |  |
|   |                                   | P0A3F21      | Drive Motor "A" Position Sensor Signal Amplitude <<br>Minimum                          |  |
|   |                                   | P0A3F22      | Drive Motor "A" Position Sensor Signal Amplitude ><br>Maximum                          |  |
|   |                                   | P0A4516      | Drive Motor "B" Position Sensor Circuit Voltage Below<br>Threshold                     |  |
|   |                                   | P0A4521      | Drive Motor "B" Position Sensor Signal Amplitude <<br>Minimum                          |  |
|   |                                   | P0A4522      | Drive Motor "B" Position Sensor Signal Amplitude ><br>Maximum                          |  |
|   |                                   | P0A4B16      | Generator Position Sensor Circuit Voltage Below Threshold                              |  |
|   |                                   | P0A4B21      | Generator Position Sensor Signal Amplitude < Minimum                                   |  |
|   |                                   | P0A4B22      | Generator Position Sensor Signal Amplitude > Maximum                                   |  |
|   |                                   | P0A6012      | Drive Motor "A" Phase V Current (High Resolution) Circuit<br>Short to Battery          |  |
|   |                                   | P0A6014      | Drive Motor "A" Phase V Current (High Resolution) Circuit<br>Short to Ground or Open   |  |
|   |                                   | P0A601C      | Drive Motor "A" Phase V Current (High Resolution) Circuit<br>Voltage Out of Range      |  |
|   |                                   | P0A6312      | Drive Motor "A" Phase W Current (High Resolution) Circuit<br>Short to Battery          |  |
|   |                                   | P0A6314      | Drive Motor "A" Phase W Current (High Resolution) Circuit<br>Short to Ground or Open   |  |
|   |                                   | P0A631C      | Drive Motor "A" Phase W Current (High Resolution) Circuit<br>Voltage Out of Range      |  |
|   |                                   | P0A6912      | Drive Motor "B" Phase V Current(High Resolution) Circuit<br>Short to Battery           |  |

| MALFUNCTION<br>CONTENT | SYSTEM |         | RELEVANT DTC  |
|------------------------|--------|---------|---|
|                        |        | P0A6914 | Drive Motor "B" Phase V Current(High Resolution) Circuit<br>Short to Ground or Open               |
|                        |        | P0A691C | Drive Motor "B" Phase V Current(High Resolution) Circuit<br>Voltage Out of Range                  |
|                        |        | P0A6C12 | Drive Motor "B" Phase W Current(High Resolution) Circuit<br>Short to Battery                      |
|                        |        | P0A6C14 | Drive Motor "B" Phase W Current(High Resolution) Circuit<br>Short to Ground or Open               |
|                        |        | P0A6C1C | Drive Motor "B" Phase W Current(High Resolution) Circuit<br>Voltage Out of Range                  |
|                        |        | P0BE512 | Drive Motor "A" Phase U Current Sensor Circuit Short to<br>Battery                                |
|                        |        | P0BE514 | Drive Motor "A" Phase U Current Sensor Circuit Short to Ground or Open                            |
|                        |        | P0BE528 | Drive Motor "A" Phase U Current Sensor Signal Bias Leve<br>Out of Range / Zero Adjustment Failure |
|                        |        | P0BE912 | Drive Motor "A" Phase V Current Sensor Circuit Short to<br>Battery                                |
|                        |        | P0BE914 | Drive Motor "A" Phase V Current Sensor Circuit Short to Ground or Open                            |
|                        |        | P0BE928 | Drive Motor "A" Phase V Current Sensor Signal Bias Leve<br>Out of Range / Zero Adjustment Failure |
|                        |        | P0BED12 | Drive Motor "A" Phase W Current Sensor Circuit Short to<br>Battery                                |
|                        |        | P0BED14 | Drive Motor "A" Phase W Current Sensor Circuit Short to<br>Ground or Open                         |
|                        |        | P0BED28 | Drive Motor "A" Phase W Current Sensor Signal Bias Leve<br>Out of Range / Zero Adjustment Failure |
|                        |        | P0BF112 | Drive Motor "B" Phase U Current Sensor Circuit Short to<br>Battery                                |
|                        |        | P0BF114 | Drive Motor "B" Phase U Current Sensor Circuit Short to Ground or Open                            |
|                        |        | P0BF128 | Drive Motor "B" Phase U Current Sensor Signal Bias Leve<br>Out of Range / Zero Adjustment Failure |
|                        |        | P0BF512 | Drive Motor "B" Phase V Current Sensor Circuit Short to<br>Battery                                |
|                        |        | P0BF514 | Drive Motor "B" Phase V Current Sensor Circuit Short to Ground or Open                            |
|                        |        | P0BF528 | Drive Motor "B" Phase V Current Sensor Signal Bias Leve<br>Out of Range / Zero Adjustment Failure |

| MALFUNCTION<br>CONTENT | SYSTEM |         | RELEVANT DTC   |
|------------------------|--------|---------|--|
|                        |        | P0BF912 | Drive Motor "B" Phase W Current Sensor Circuit Short to<br>Battery                                 |
|                        |        | P0BF914 | Drive Motor "B" Phase W Current Sensor Circuit Short to Ground or Open                             |
|                        |        | P0BF928 | Drive Motor "B" Phase W Current Sensor Signal Bias Level<br>Out of Range / Zero Adjustment Failure |
|                        |        | P0BFD62 | Drive Motor "A" Phase U-V-W Current Sensor Signal<br>Compare Failure                               |
|                        |        | P0BFE62 | Drive Motor "B" Phase U-V-W Current Sensor Signal<br>Compare Failure                               |
|                        |        | P0C5013 | Drive Motor "A" Position Sensor Circuit "A" Circuit Open   |
|                        |        | P0C5016 | Drive Motor "A" Position Sensor Circuit "A" Circuit Voltage<br>Below Threshold                     |
|                        |        | P0C5017 | Drive Motor "A" Position Sensor Circuit "A" Circuit Voltage<br>Above Threshold                     |
|                        |        | P0C5513 | Drive Motor "B" Position Sensor Circuit "A" Circuit Open   |
|                        |        | P0C5516 | Drive Motor "B" Position Sensor Circuit "A" Circuit Voltage Below Threshold                        |
|                        |        | P0C5517 | Drive Motor "B" Position Sensor Circuit "A" Circuit Voltage<br>Above Threshold                     |
|                        |        | P0C5A13 | Drive Motor "A" Position Sensor Circuit "B" Circuit Open   |
|                        |        | P0C5A16 | Drive Motor "A" Position Sensor Circuit "B" Circuit Voltage<br>Below Threshold                     |
|                        |        | P0C5A17 | Drive Motor "A" Position Sensor Circuit "B" Circuit Voltage<br>Above Threshold                     |
|                        |        | P0C5F13 | Drive Motor "B" Position Sensor Circuit "B" Circuit Open   |
|                        |        | P0C5F16 | Drive Motor "B" Position Sensor Circuit "B" Circuit Voltage<br>Below Threshold                     |
|                        |        | P0C5F17 | Drive Motor "B" Position Sensor Circuit "B" Circuit Voltage<br>Above Threshold                     |
|                        |        | P0C6413 | Generator Position Sensor Circuit "A" Circuit Open   |
|                        |        | P0C6416 | Generator Position Sensor Circuit "A" Circuit Voltage Belov<br>Threshold                           |
|                        |        | P0C6417 | Generator Position Sensor Circuit "A" Circuit Voltage Above<br>Threshold                           |
|                        |        | P0C6913 | Generator Position Sensor Circuit "B" Circuit Open   |
|                        |        | P0C6916 | Generator Position Sensor Circuit "B" Circuit Voltage Below<br>Threshold                           |
|                        |        | P0C6917 | Generator Position Sensor Circuit "B" Circuit Voltage Above Threshold                              |

| MALFUNCTION<br>CONTENT | SYSTEM |         | RELEVANT DTC  |
|------------------------|--------|---------|---|
|                        |        | P0D2D16 | Drive Motor "A" Inverter Voltage Sensor (VH) Circuit Voltage<br>Below Threshold   |
|                        |        | P0D2D17 | Drive Motor "A" Inverter Voltage Sensor (VH) Circuit Voltage<br>Above Threshold   |
|                        |        | P0DFA62 | Generator Phase U-V-W Current Sensor Signal Compare<br>Failure  |
|                        |        | P0E0012 | Generator Phase U Current Sensor Circuit Short to Battery   |
|                        |        | P0E0014 | Generator Phase U Current Sensor Circuit Short to Ground or Open  |
|                        |        | P0E0028 | Generator Phase U Current Sensor Signal Bias Level Out of<br>Range / Zero Adjustment Failure                                |
|                        |        | P0E0412 | Generator Phase V Current Sensor Circuit Short to Battery   |
|                        |        | P0E0414 | Generator Phase V Current Sensor Circuit Short to Ground<br>or Open   |
|                        |        | P0E0428 | Generator Phase V Current Sensor Signal Bias Level Out of<br>Range / Zero Adjustment Failure                                |
|                        |        | P0E0812 | Generator Phase W Current Sensor Circuit Short to Battery   |
|                        |        | P0E0814 | Generator Phase W Current Sensor Circuit Short to Ground or Open  |
|                        |        | P0E0828 | Generator Phase W Current Sensor Signal Bias Level Out of<br>Range / Zero Adjustment Failure                                |
|                        |        | P0E3116 | DC/DC Converter Voltage Sensor "A" (VL) Circuit Voltage<br>Below Threshold  |
|                        |        | P0E3117 | DC/DC Converter Voltage Sensor "A" (VL) Circuit Voltage<br>Above Threshold  |
|                        |        | P0E5111 | DC/DC Converter Current Sensor Circuit Short to Ground  |
|                        |        | P0E5115 | DC/DC Converter Current Sensor Circuit Short to Battery or Open   |
|                        |        | P0E5128 | DC/DC Converter Current Sensor Signal Bias Level Out of<br>Range / Zero Adjustment Failure                                  |
|                        |        | P0E9B11 | DC/DC Converter Current Sensor "B" Circuit Low Circuit<br>Short to Ground   |
|                        |        | P0E9B15 | DC/DC Converter Current Sensor "B" Circuit High Circuit<br>Short to Battery or Open   |
|                        |        | P0E9B28 | DC/DC Converter Current Sensor "B" Circuit<br>Range/Performance Signal Bias Level Out of Range / Zero<br>Adjustment Failure |
|                        |        | P0EA011 | DC/DC Converter Current Sensor "C" Circuit Low Circuit<br>Short to Ground   |
|                        |        | P0EA015 | DC/DC Converter Current Sensor "C" Circuit High Circuit<br>Short to Battery or Open   |

| MALFUNCTION<br>CONTENT | SYSTEM                   | RELEVANT DTC |   |  |
|------------------------|--------------------------|--------------|---|--|
|                        |                          | P1CAC49      | Generator Position Sensor Internal Electronic Failure   |  |
|                        |                          | P1CAD49      | Drive Motor "A" Position Sensor Internal Electronic Failure   |  |
|                        |                          | P1CAE49      | Drive Motor "B" Position Sensor Internal Electronic Failure   |  |
|                        |                          | P1CAF38      | Generator Position Sensor REF Signal Cycle Malfunction<br>Signal Frequency Incorrect  |  |
|                        |                          | P1CB038      | Drive Motor "A" Position Sensor REF Signal Frequency<br>Incorrect   |  |
|                        |                          | P1CB138      | Drive Motor "B" Position Sensor REF Signal Frequency<br>Incorrect   |  |
|                        |                          | P1F7011      | DC/DC Converter Current Sensor "D" Circuit Low Circuit<br>Short to Ground   |  |
|                        |                          | P1F7015      | DC/DC Converter Current Sensor "D" Circuit High Circuit<br>Short to Battery or Open   |  |
|                        |                          | P1F7028      | DC/DC Converter Current Sensor "D" Circuit<br>Range/Performance Signal Bias Level Out of Range / Zero<br>Adjustment Failure |  |
|                        |                          | P1F7562      | DC/DC Converter Current Sensor A/C Correlation Signal<br>Compare Failure  |  |
|                        |                          | P1F7662      | DC/DC Converter Current Sensor B/D Correlation Signal<br>Compare Failure  |  |
|                        |                          | P1CFF62      | Hybrid/EV Battery Current/DC/DC Converter Current Signal<br>Compare Failure   |  |
|                        |                          | P0C7600      | Hybrid/EV Battery System Discharge Time Too Long  |  |
|                        | Hybrid control<br>system | P0D2D1C      | Drive Motor "A" Inverter Voltage Sensor Voltage Out of<br>Range   |  |
|                        |                          | P0E311C      | Boosting Converter Voltage Sensor "A" Voltage Out of Range  |  |
| System malfunction     | Motor generator          | P0A9000      | Drive Motor "A" Performance   |  |
|                        | control system           | P0A9100      | Drive Motor "B" Performance   |  |
|                        |                          | P0A9200      | Hybrid/EV Generator Performance   |  |
|                        |                          | P0BFF1D      | Drive Motor "A" Circuit Current Out of Range  |  |
|                        |                          | P0C021D      | Drive Motor "B" System Circuit Current Out of Range   |  |
|                        |                          | P0C1900      | Drive Motor "A" Execution Torque Performance  |  |
|                        |                          | P0C1A00      | Drive Motor "B" Execution Torque Performance  |  |
|                        |                          | P0CA300      | DC/DC Converter Step Up Voltage Performance   |  |
|                        |                          | P0E7100      | Generator Execution Torque Performance  |  |
|                        |                          | P1CA51D      | Hybrid/EV Generator Circuit Current Out of Range  |  |
|                        |                          | P314F1F      | DC/DC Converter Voltage Sensor "A" (VL) Circuit<br>Intermittent   |  |

HYBRID / BATTERY CONTROL: MOTOR GENERATOR CONTROL SYSTEM (for PHEV Model): P0E5717; DC/DC Converter Vol...

| MALFUNCTION<br>CONTENT | SYSTEM                   | RELEVANT DTC |   |  |
|------------------------|--------------------------|--------------|---|--|
|                        |                          | P31531D      | DC/DC Converter Current Sensor Circuit Current Out of Range               |  |
|                        | Hybrid control<br>system | P0A9300      | Inverter "A" Cooling System Performance                                   |  |
|                        |                          | P0AA649      | Hybrid/EV Battery Voltage System Isolation Internal<br>Electronic Failure |  |
|                        |                          | P0C7396      | Motor Electronics Coolant Pump "A" Component Internal<br>Failure          |  |
|                        |                          | P314A31      | Motor Electronics Coolant Pump "A" No Signal                              |  |

### Table 3

| SYSTEM                         | RELEVANT DTC |  |  |  |  |
|--------------------------------|--------------|--|--|--|--|
| Motor generator control system | P06B31F      | Drive Motor "B" Control Module Position Sensor REF Power Source Circuit Voltage Out of Range |  |  |  |
|                                | P0A3F1F      | Drive Motor "A" Position Sensor Circuit Intermittent   |  |  |  |
|                                | P0A451F      | Drive Motor "B" Position Sensor Circuit Intermittent   |  |  |  |
|                                | P0A4B1F      | Generator Position Sensor Circuit Intermittent   |  |  |  |
|                                | P0A601F      | Drive Motor "A" Phase V Current (High Resolution) Circuit Intermittent                       |  |  |  |
|                                | P0A631F      | Drive Motor "A" Phase W Current (High Resolution) Circuit Intermittent                       |  |  |  |
|                                | P0A691F      | Drive Motor "B" Phase V Current(High Resolution) Circuit Intermittent                        |  |  |  |
|                                | P0A6C1F      | Drive Motor "B" Phase W Current(High Resolution) Circuit Intermittent                        |  |  |  |
|                                | P0BE51F      | Drive Motor "A" Phase U Current Sensor Circuit Intermittent                                  |  |  |  |
|                                | P0BE91F      | Drive Motor "A" Phase V Current Sensor Circuit Intermittent                                  |  |  |  |
|                                | P0BED1F      | Drive Motor "A" Phase W Current Sensor Circuit Intermittent                                  |  |  |  |
|                                | P0BF11F      | Drive Motor "B" Phase U Current Sensor Circuit Intermittent                                  |  |  |  |
|                                | P0BF51F      | Drive Motor "B" Phase V Current Sensor Circuit Intermittent                                  |  |  |  |
|                                | P0BF91F      | Drive Motor "B" Phase W Current Sensor Circuit Intermittent                                  |  |  |  |
|                                | P0C501F      | Drive Motor "A" Position Sensor Circuit "A" Circuit Intermittent                             |  |  |  |
|                                | P0C551F      | Drive Motor "B" Position Sensor Circuit "A" Circuit Intermittent                             |  |  |  |
|                                | P0C5A1F      | Drive Motor "A" Position Sensor Circuit "B" Circuit Intermittent                             |  |  |  |
|                                | P0C5F1F      | Drive Motor "B" Position Sensor Circuit "B" Circuit Intermittent                             |  |  |  |
|                                | P0C641F      | Generator Position Sensor Circuit "A" Circuit Intermittent                                   |  |  |  |
|                                | P0C691F      | Generator Position Sensor Circuit "B" Circuit Intermittent                                   |  |  |  |
|                                | P0D2D1F      | Drive Motor "A" Inverter Voltage Sensor (VH) Circuit Intermittent                            |  |  |  |
|                                | P0E001F      | Generator Phase U Current Sensor Circuit Intermittent  |  |  |  |
|                                | P0E041F      | Generator Phase V Current Sensor Circuit Intermittent  |  |  |  |
|                                | P0E081F      | Generator Phase W Current Sensor Circuit Intermittent  |  |  |  |

| SYSTEM |         | RELEVANT DTC   |
|--------|---------|--|
|        | P0E311F | DC/DC Converter Voltage Sensor "A" (VL) Circuit Intermittent                                 |
|        | P0E511F | DC/DC Converter Current Sensor Circuit Intermittent  |
|        | P1C601F | Generator Control Module Position Sensor REF Power Source Circuit<br>Intermittent            |
|        | P1C621F | Generator Control Module Offset Power Circuit Intermittent                                   |
|        | P1C641F | Generator Control Module Circuit Intermittent  |
|        | P1C651F | Generator Control Module Circuit Intermittent  |
|        | P1C661F | Drive Motor "B" Control Module Circuit Intermittent  |
|        | P1C671F | Drive Motor "A" Phase U-V-W Current Sensor Circuit Intermittent                              |
|        | P1C681F | Drive Motor "B" Phase U-V-W Current Sensor Circuit Intermittent                              |
|        | P1C691F | Generator Phase U-V-W Current Sensor Circuit Intermittent                                    |
|        | P26DF1F | Generator Control Module Position Sensor REF Power Source Circuit<br>Intermittent            |
|        | P310A1F | Communication Error from Drive Motor "B" to Drive Motor "A" Circuit<br>Intermittent          |
|        | P310B1F | Communication Error from Drive Motor "A" to Drive Motor "B" Circuit<br>Intermittent          |
|        | P31241F | Lost Communication between Drive Motor "A" and HV/EV ECU Circuit Intermittent                |
|        | P32BF1F | Lost Communication between Drive Motor "A" and "B" (Drive Motor "A")<br>Circuit Intermittent |
|        | P32CF1F | Lost Communication between Drive Motor "A" and "B" (Drive Motor "B")<br>Circuit Intermittent |

### **PROCEDURE**

### 1. CHECK FREEZE FRAME DATA AND DIAGNOSIS RELATED INFORMATION

Pre-procedure1

(a) None

Procedure1

(b) Read the freeze frame data of DTC P0E5717.

Powertrain > Motor Generator > Utility

TESTER DISPLAY

Diagnosis Related Information

### **Powertrain > Motor Generator > Trouble Codes**

| RESULT   | PROCEED<br>TO |
|--|---------------|
| DTC U11B300 or U11B387 is listed in Diagnosis Related Information.   | А             |
| DTC U11B300 or U11B387 is not listed in Diagnosis Related Information and the value of freeze frame data item Emergency Shutdown Signal is ON. | В             |
| Other than above   | С             |

Post-procedure1

(c) Turn the ignition switch off.

A GO TO DTC CHART (U11B300)

B GO TO DTC CHART (P321E9F)



2.

CHECK CONNECTOR CONNECTION CONDITION (INVERTER WITH CONVERTER ASSEMBLY CONNECTOR)

Click here

| RESULT  | PROCEED<br>TO |
|---|---------------|
| ОК  | A             |
| NG (The connector is not connected securely.)   | В             |
| NG (The terminals are not making secure contact or are deformed, or water or foreign matter exists in the connector.) | С             |


**B CONNECT SECURELY** 

**C** REPAIR OR REPLACE HARNESS OR CONNECTOR



12/16/24, 8:40 PM

| 3.         | CHECK GENERATOR RESOLVER CIRCUIT           |  |
|------------|--|--|
| Click here |  |  |
| NEXT       |  |  |
| 4.         | CHECK MOTOR RESOLVER CIRCUIT               |  |
| Click her  | e NFO                                      |  |
| NEXT       |  |  |
| 5.         | CHECK GENERATOR HIGH-VOLTAGE CIRCUIT       |  |
| Click here |  |  |
| NEXT       |  |  |
| 6.         | CHECK MOTOR HIGH-VOLTAGE CIRCUIT           |  |
| Click here |  |  |
| NEXT       |  |  |
| 7.         | CHECK HV BATTERY HIGH-VOLTAGE LINE CIRCUIT |  |
| Click here |  |  |
|            |  |  |



### Click here

### HINT:

If the "Inverter Low-voltage Circuit" inspection results are normal, perform the next step.

NEXT > REPLACE INVERTER WITH CONVERTER ASSEMBLY

•

TOYOTA