| Last Modified: 12-04-2024  | 6.11:8.1.0                  | <b>Doc ID:</b> RM100000002BHT5        |  |  |  |  |
|--|-----------------------------|---------------------------------------|--|--|--|--|
| Model Year Start: 2023   | Model: Prius Prime          | <b>Prod Date Range:</b> [03/2023 - ]  |  |  |  |  |
| Title: HYBRID / BATTERY CONTROL: MOTOR GENERATOR CONTROL SYSTEM (for PHEV Model): P31531D; DC/DC |                             |                                       |  |  |  |  |
| Converter Current Sensor Circui  | t Current Out of Range; 202 | 23 - 2024 MY Prius Prime [03/2023 - ] |  |  |  |  |

| DTC | P31531D | DC/DC Converter Current Sensor Circuit Current Out of Range |
|-----|---------|---|
|-----|---------|---|

# **DTC SUMMARY**

### **MALFUNCTION DESCRIPTION**

This DTC is stored if the value of the reactor current sensor fluctuates excessively. The cause of this malfunction may be one of the following:

| AREA                                 | MAIN MALFUNCTION DESCRIPTION  |  |  |  |
|--------------------------------------|---|--|--|--|
| Hybrid vehicle transaxle assembly    | <ul> <li>Open or short circuit in the motor, generator or rear motor coils</li> <li>Motor (MG2) or generator (MG1) internal malfunction (iron particles or damage from foreign objects)</li> </ul>                    |  |  |  |
| Resolver                             | Open or short circuit in the motor resolver or generator resolver circuit   |  |  |  |
| Inverter                             | <ul> <li>Inverter internal circuit malfunction</li> <li>Malfunction in ECU that controls the inverter</li> <li>Malfunction in sensor for inverter control (current sensor, voltage sensors (VH, VL), etc.)</li> </ul> |  |  |  |
| HV battery high-voltage line circuit | Open in an HV floor under wire  |  |  |  |

# **DESCRIPTION**

For a description of the inverter.

Click here NFO

| DTC NO. | DETECTION<br>ITEM                        | DTC<br>DETECTION<br>CONDITION | TROUBLE AREA | MIL | WARNING<br>INDICATE            |                    | PRIORITY | NOTE                  |
|---------|--|-------------------------------|--------------|-----|--------------------------------|--------------------|----------|-----------------------|
| P31531D | Converter Current Sensor Circuit Current |                               |              |     | Master<br>Warning:<br>Comes on | Motor<br>Generator | А        | SAE<br>Code:<br>P3153 |

| 12/16/2 | 4. 8:4 | 17 PI | V |
|---------|--------|-------|---|
|---------|--------|-------|---|

| DTC NO. | DETECTION<br>ITEM | DTC<br>DETECTION<br>CONDITION | TROUBLE AREA   | MIL | WARNING<br>INDICATE | DTC<br>OUTPUT<br>FROM | PRIORITY | NOTE |
|---------|-------------------|-------------------------------|--|-----|---------------------|-----------------------|----------|------|
|         |                   |                               | No. 1 traction battery device box assembly Service plug grip PCU NO. 1 fuse Hybrid vehicle control ECU Wire harness or connector |     |                     |                       |          |      |

### **CONFIRMATION DRIVING PATTERN**

#### HINT:

After repair has been completed, clear the DTC and then check that the vehicle has returned to normal by performing the following All Readiness check procedure.

Click here

- 1. Clear the DTCs (even if no DTCs are stored, perform the clear DTC procedure).
- 2. Turn the ignition switch off and wait for 2 minutes or more.
- 3. Turn the ignition switch to ON and wait for 5 seconds or more.
- 4. Turn the ignition switch to ON (READY) and wait for 5 seconds or more.
- 5. Drive the vehicle on urban roads for approximately 10 minutes, mainly using the engine.
- 6. Enter the following menus: Powertrain / Motor Generator / Utility / All Readiness.
- 7. Check the DTC judgment result.

#### HINT:

- If the judgment result shows NORMAL, the system is normal.
- If the judgment result shows ABNORMAL, the system has a malfunction.
- If the judgment result shows INCOMPLETE, perform driving pattern again.

## **WIRING DIAGRAM**

Refer to the wiring diagram for the Generator Resolver Circuit.

Click here NFO

Refer to the wiring diagram for the Motor Resolver Circuit.

Click here NFO

Refer to the wiring diagram for the Generator High-voltage Circuit.

Click here NFO

Refer to the wiring diagram for the Motor High-voltage Circuit.

Click here

Refer to the wiring diagram for the Inverter Low-voltage Circuit.

Click here NFO

Refer to the wiring diagram for the HV Battery High-voltage Line Circuit.

Click here NFO

### **CAUTION / NOTICE / HINT**

#### **CAUTION:**

Refer to the precautions before inspecting high voltage circuit.

Click here NFO

#### **NOTICE:**

 After the ignition switch is turned off, there may be a waiting time before disconnecting the negative (-) auxiliary battery terminal.

Click here

• When disconnecting and reconnecting the auxiliary battery.

#### **HINT:**

When disconnecting and reconnecting the auxiliary battery, there is an automatic learning function that completes learning when the respective system is used.

Click here NFO

#### HINT:

P31531D may be output as a result of the malfunction indicated by the DTCs in table below.

- a. The chart above is listed in inspection order of priority.
- b. Check DTCs that are output at the same time by following the listed order. (The main cause of the malfunction can be determined without performing unnecessary inspections.)

#### Table 1

|                          |               | RELEVANT DTC  |  |  |
|--------------------------|---------------|---|--|--|
|                          | P1C7C49       | Hybrid/EV Battery Voltage System Isolation (A/C Area) Internal Electronic Failure               |  |  |
|                          | P1C7D49       | Hybrid/EV Battery Voltage System Isolation (Hybrid/EV Battery Area) Internal Electronic Failure |  |  |
| /brid<br>introl<br>rstem | P1C7E49       | Hybrid/EV Battery Voltage System Isolation (Transaxle Area) Internal Electronic Failure         |  |  |
|                          | P1C7F49       | Hybrid/EV Battery Voltage System Isolation (Direct Current Area) Internal Electronic Failure    |  |  |
|                          | P1C8049       | Hybrid/EV Battery Voltage System Isolation (Rear Motor<br>Area) Internal Electronic Failure     |  |  |
| ntrol                    | P0AD911       | Hybrid/EV Battery Positive Contactor Circuit Short to Ground                                    |  |  |
| stem                     | P0AD915       | Hybrid/EV Battery Positive Contactor Circuit Short to<br>Auxiliary Battery or Open              |  |  |
|                          | P0ADD11       | Hybrid/EV Battery Negative Contactor Circuit Short to Ground                                    |  |  |
| /l                       | orid<br>otrol | P1C7D49  P1C7E49  tem  P1C7F49  P1C8049  P1C8049  P0AD911  tem  P0AD915                         |  |  |

| MALFUNCTION CONTENT    | SYSTEM            |         | RELEVANT DTC   |
|------------------------|-------------------|---------|--|
|                        |                   | P0ADD15 | Hybrid/EV Battery Negative Contactor Circuit Short to Auxiliary Battery or Open                |
|                        |                   | P1C8449 | High Voltage Power Resource Circuit Short during Ready<br>ON                                   |
| HV battery malfunction |                   | P0A1F94 | Hybrid/EV Battery Energy Control Module Unexpected Operation                                   |
|                        | Hybrid            | P0ABF00 | Hybrid/EV Battery Current Sensor "A" Circuit<br>Range/Performance                              |
|                        | control<br>system | P0B231C | Hybrid/EV Battery "A" Voltage Sensor Voltage Out of Range                                      |
|                        |                   | P31B300 | Hybrid/EV Battery Voltage High   |
|                        |                   | U011187 | Lost Communication with Hybrid/EV Battery Energy Control<br>Module "A" Missing Message         |
|                        | Hybrid            | P056014 | System Voltage (BATT) Circuit Short to Ground or Open  |
|                        | system            | P060629 | Hybrid/EV Battery Energy Control Module Processor to<br>Monitoring Processor Signal Invalid    |
|                        |                   | P060687 | Hybrid/EV Battery Energy Control Module Processor to<br>Monitoring Processor Missing Message   |
|                        |                   | P060A47 | Hybrid/EV Battery Energy Control Module Monitoring<br>Processor Watchdog / Safety MCU Failure  |
|                        |                   | P060A87 | Hybrid/EV Battery Energy Control Module Processor from<br>Monitoring Processor Missing Message |
|                        |                   | P060B16 | Hybrid/EV Battery Energy Control Module A/D Processing Circuit Voltage Below Threshold         |
|                        |                   | P060B49 | Hybrid/EV Battery Energy Control Module A/D Processing Internal Electronic Failure             |
|                        |                   | P0ABF11 | Hybrid/EV Battery Current Sensor "A" Circuit Short to Ground                                   |
|                        |                   | P0ABF15 | Hybrid/EV Battery Current Sensor "A" Circuit Short to Auxiliary Battery or Open                |
|                        |                   | P0ABF28 | Hybrid/EV Battery Current Sensor "A" Signal Bias Level Out of Range / Zero Adjustment Failure  |
|                        |                   | P0ABF2A | Hybrid/EV Battery Current Sensor "A" Signal Stuck In Range                                     |
|                        |                   | P0B0E11 | Hybrid/EV Battery Current Sensor "B" Circuit Short to Ground                                   |
|                        |                   | P0B0E15 | Hybrid/EV Battery Current Sensor "B" Circuit Short to Auxiliary Battery or Open                |
|                        | POF               | P0B1362 | Hybrid/EV Battery Current Sensor "A"/"B" Signal Compare Failure                                |
|                        |                   | P0E2D00 | Hybrid/EV Battery Energy Control Module Hybrid/EV<br>Battery Monitor Performance               |

| MALFUNCTION CONTENT | SYSTEM |         | RELEVANT DTC   |
|---------------------|--------|---------|--|
|                     |        | P1A001C | Hybrid Battery Stack 2 Cell Voltage Detection Voltage Out of Range                         |
|                     |        | P1A051C | Hybrid Battery Stack 3 Cell Voltage Detection Voltage Out of Range                         |
|                     |        | P1A0A1C | Hybrid Battery Stack 4 Cell Voltage Detection Voltage Out of Range                         |
|                     |        | P1A6017 | Hybrid/EV Battery Stack 2 Cell Circuit Voltage Above<br>Threshold                          |
|                     |        | P1A6116 | Hybrid/EV Battery Stack 2 Cell Circuit Voltage Below<br>Threshold                          |
|                     |        | P1A6317 | Hybrid/EV Battery Stack 3 Cell Circuit Voltage Above Threshold                             |
|                     |        | P1A6416 | Hybrid/EV Battery Stack 3 Cell Circuit Voltage Below<br>Threshold                          |
|                     |        | P1A6617 | Hybrid/EV Battery Stack 4 Cell Circuit Voltage Above<br>Threshold                          |
|                     |        | P1A6716 | Hybrid/EV Battery Stack 4 Cell Circuit Voltage Below<br>Threshold                          |
|                     |        | P1A8100 | Hybrid/EV Battery Stack 1 Delta SOC High (Extreme)   |
|                     |        | P1A8600 | Hybrid/EV Battery Stack 2 Delta SOC High (Extreme)   |
|                     |        | P1A8B00 | Hybrid/EV Battery Stack 3 Delta SOC High (Extreme)   |
|                     |        | P1A9100 | Hybrid/EV Battery Stack 4 Delta SOC High (Extreme)   |
|                     |        | P1AC413 | Hybrid/EV Battery Stack 1 Current Interrupt Device Circuit Open                            |
|                     |        | P1AC49E | Hybrid/EV Battery Stack 1 Current Interrupt Device Stuck<br>On                             |
|                     |        | P1AC513 | Hybrid/EV Battery Stack 2 Current Interrupt Device Circuit Open                            |
|                     |        | P1AC59E | Hybrid/EV Battery Stack 2 Current Interrupt Device Stuck<br>On                             |
|                     |        | P1AC613 | Hybrid/EV Battery Stack 3 Current Interrupt Device Circuit Open                            |
|                     |        | P1AC69E | Hybrid/EV Battery Stack 3 Current Interrupt Device Stuck<br>On                             |
|                     |        | P1AC713 | Hybrid/EV Battery Stack 4 Current Interrupt Device Circuit Open                            |
|                     |        | P1AC79E | Hybrid/EV Battery Stack 4 Current Interrupt Device Stuck<br>On                             |
|                     |        | P1AFD00 | Flying Capacitor Circuit Voltage Out of Range  |
|                     |        | P1AFD1C | Flying Capacitor/Internal Control Module Hybrid/EV Battery<br>Monitor Voltage Out of Range |

| MALFUNCTION CONTENT    | SYSTEM            |         | RELEVANT DTC   |
|------------------------|-------------------|---------|--|
|                        |                   | <br>    |  |
|                        |                   | P1CBB12 | Hybrid/EV Battery Current Sensor Power Supply Circuit Short to Auxiliary Battery   |
|                        |                   | P1CBB14 | Hybrid/EV Battery Current Sensor Power Supply Circuit<br>Short to Ground or Open   |
| HV battery malfunction | Hybrid            | P1CC81E | Hybrid/EV Battery Stack 1 Voltage Difference Out of Range  |
|                        | battery<br>system | P1CC91E | Hybrid/EV Battery Stack 2 Voltage Difference Out of Range  |
|                        |                   | P1CCA1E | Hybrid/EV Battery Stack 3 Voltage Difference Out of Range  |
|                        |                   | P1CCB1E | Hybrid/EV Battery Stack 4 Voltage Difference Out of Range  |
|                        |                   | P2BE411 | Hybrid/EV Battery Pack Current Sensor "C" Low Circuit Short to Ground  |
|                        |                   | P2BE415 | Hybrid/EV Battery Pack Current Sensor "C" High Circuit<br>Short to Auxiliary Battery or Open                                       |
|                        |                   | P2BE41C | Hybrid/EV Battery Pack Current Sensor "C" Circuit<br>Range/Performance Circuit Voltage Out of Range                                |
|                        |                   | P2BE428 | Hybrid/EV Battery Pack Current Sensor "C" Circuit<br>Range/Performance Signal Bias Level Out of Range / Zero<br>Adjustment Failure |
|                        |                   | P301A1C | Hybrid Battery Stack 1 Cell Voltage Detection Voltage Out of Range   |
|                        |                   | P31AA17 | Hybrid/EV Battery Stack 1 Cell Circuit Voltage Above Threshold   |
|                        |                   | P31AB16 | Hybrid/EV Battery Stack 1 Cell Circuit Voltage Below<br>Threshold  |
|                        |                   | P33DA1E | Hybrid/EV Battery Stack 1 Circuit Resistance Out of Range  |
|                        |                   | P33DB1E | Hybrid/EV Battery Stack 2 Circuit Resistance Out of Range  |
|                        |                   | P33DC1E | Hybrid/EV Battery Stack 3 Circuit Resistance Out of Range  |
|                        |                   | P33DD1E | Hybrid/EV Battery Stack 4 Circuit Resistance Out of Range  |
|                        |                   | P33E01B | Hybrid/EV Battery Stack 1 Circuit Resistance Above Threshold   |
|                        |                   | P33E11B | Hybrid/EV Battery Stack 2 Circuit Resistance Above Threshold   |
|                        |                   | P33E21B | Hybrid/EV Battery Stack 3 Circuit Resistance Above Threshold   |
|                        |                   | P33E31B | Hybrid/EV Battery Stack 4 Circuit Resistance Above Threshold   |
|                        |                   | P33EC16 | (Extreme) Hybrid/EV Battery Stack 1 Cell Circuit Voltage<br>Below Threshold  |
|                        |                   | P33ED16 | (Extreme) Hybrid/EV Battery Stack 2 Cell Circuit Voltage<br>Below Threshold  |
|                        |                   | P33EE16 | (Extreme) Hybrid/EV Battery Stack 3 Cell Circuit Voltage<br>Below Threshold  |

| MALFUNCTION CONTENT | SYSTEM | RELEVANT DTC  |  |  |
|---------------------|--------|---|--|--|
|                     |        | P33EF16   | (Extreme) Hybrid/EV Battery Stack 4 Cell Circuit Voltage<br>Below Threshold                            |  |
|                     |        | U029387 Lost Communication with Hybrid/EV Powertrain Control Module Missing Message |  |  |
|                     |        | 1111150871  | Lost Communication with Hybrid Powertrain Control Module (Hybrid/EV Battery Local Bus) Missing Message |  |

### Table 2

| MALFUNCTION<br>CONTENT | SYSTEM          |  | RELEVANT DTC   |
|------------------------|-----------------|--|--|
| Microcomputer          | Motor generator | P0A1A47  | Generator Control Module Watchdog / Safety MC Failure  |
| malfunction            | control system  | P0A1A49  | Generator Control Module Internal Electronic Failure   |
|                        |                 | P0A1B1F  | Generator Control Module Circuit Intermittent  |
|                        |                 | P0A1B47  | Generator Control Module Watchdog / Safety MC Failure  |
|                        |                 | P0A1C47  | Drive Motor "B" Control Module Watchdog / Safety MCU<br>Failure  |
|                        | P0A1C49         | Drive Motor "B" Control Module Internal Electronic Failure                       |  |
|                        | P1C2A1C         | Generator A/D Converter Circuit Circuit Voltage Out of Range                     |  |
|                        | P1C2A49         | Generator A/D Converter Circuit Internal Electronic Failure                      |  |
|                        | P1C2A71         | Generator A/D Converter Circuit Actuator Stuck                                   |  |
|                        | P1C2B1C         | Drive Motor "A" Control Module A/D Converter Circuit Voltage Out of Range        |  |
|                        | P1C2B49         | Drive Motor "A" Control Module A/D Converter Circuit Internal Electronic Failure |  |
|                        |                 | P1C2B71  | Drive Motor "A" Control Module A/D Converter Circuit<br>Actuator Stuck   |
|                        |                 | P1C2C1C  | Drive Motor "B" Control Module AD Converter Circuit Voltage<br>Out of Range  |
|                        |                 | P1C2C49  | Drive Motor "B" Control Module AD Converter Internal<br>Electronic Failure   |
|                        |                 | P1C2C71  | Drive Motor "B" Control Module A/D Converter Circuit<br>Actuator Stuck   |
|                        |                 | P310A83  | Communication Error from Drive Motor "B" to Drive Motor "A" Value of Signal Protection Calculation Incorrect                 |
|                        |                 | P310A86  | Communication Error from Drive Motor "B" to Drive Motor "A" Signal (Some Circuit Quantity, Reported via Serial Data) Invalid |
|                        |                 | P310A87  | Communication Error from Drive Motor "B" to Drive Motor "A" Missing Message  |

| MALFUNCTION<br>CONTENT           | SYSTEM                         | RELEVANT DTC |   |
|----------------------------------|--------------------------------|--------------|---|
|                                  |                                | P310B83      | Communication Error from Drive Motor "A" to Drive Motor "B" Value of Signal Protection Calculation Incorrect                          |
|                                  |                                | P310B86      | Communication Error from Drive Motor "A" to Drive Motor "B" Signal (Some Circuit Quantity, Reported via Serial Data) Invalid          |
|                                  |                                | P310B87      | Communication Error from Drive Motor "A" to Drive Motor "B" Missing Message   |
|                                  |                                | P313383      | Communication Error from Generator to Drive Motor "A"<br>Value of Signal Protection Calculation Incorrect                             |
|                                  |                                | P313386      | Communication Error from Generator to Drive Motor "A" Signal Invalid  |
|                                  |                                | P313387      | Communication Error from Generator to Drive Motor "A" Missing Message   |
|                                  |                                | P313483      | Communication Error from Drive Motor "A" to Generator<br>Value of Signal Protection Calculation Incorrect                             |
|                                  |                                | P313486      | Communication Error from Drive Motor "A" to Generator Signal Invalid  |
|                                  |                                | P313487      | Communication Error from Drive Motor "A" to Generator Missing Message   |
|                                  |                                | P32BF83      | Lost Communication between Drive Motor "A" and "B" (Drive Motor "A") Value of Signal Protection Calculation Incorrect                 |
|                                  |                                | P32BF86      | Lost Communication between Drive Motor "A" and "B" (Drive Motor "A") Signal (Some Circuit Quantity, Reported via Serial Data) Invalid |
|                                  |                                | P32BF87      | Lost Communication between Drive Motor "A" and "B" (Drive Motor "A") Missing Message  |
|                                  |                                | P32CF83      | Lost Communication between Drive Motor "A" and "B" (Drive Motor "B") Value of Signal Protection Calculation Incorrect                 |
|                                  |                                | P32CF86      | Lost Communication between Drive Motor "A" and "B" (Drive Motor "B") Signal (Some Circuit Quantity, Reported via Serial Data) Invalid |
|                                  |                                | P32CF87      | Lost Communication between Drive Motor "A" and "B" (Drive Motor "B") Missing Message  |
|                                  | Hybrid control system          | P0A1B49      | Drive Motor "A" Control Module Internal Electronic Failure  |
| Power source circuit malfunction | Motor generator control system | P06B01C      | Generator Control Module Position Sensor REF Power Source<br>Circuit Voltage Out of Range   |
|                                  |                                | P06B31C      | Drive Motor "B" Control Module Position Sensor REF Power<br>Source Circuit Voltage Out of Range                                       |

| MALFUNCTION<br>CONTENT                  | SYSTEM                         | RELEVANT DTC |   |
|---|--------------------------------|--------------|---|
|   |                                | P06D61C      | Generator Control Module Offset Power Circuit Voltage Out of Range                        |
|   |                                | P19F81C      | Generator Control Module Offset Power Circuit Voltage Out of Range                        |
|   |                                | P19F91C      | Drive Motor "B" Control Module Offset Power Circuit Voltage<br>Out of Range               |
|   |                                | P26DF1C      | Generator Control Module Position Sensor REF Power Source<br>Circuit Voltage Out of Range |
| Communication                           | Motor generator control system | U11B387      | Lost Communication with Hybrid/EV Powertrain Control<br>Module (ch5) Missing Message      |
| malfunction                             | Hybrid control system          | U117E87      | Lost Communication with Drive Motor Control Module "A" (ch4) Missing Message              |
| Sensor and actuator circuit malfunction | Motor generator control system | P0A3F16      | Drive Motor "A" Position Sensor Circuit Voltage Below<br>Threshold                        |
|   |                                | P0A3F21      | Drive Motor "A" Position Sensor Signal Amplitude <<br>Minimum                             |
|   |                                | P0A3F22      | Drive Motor "A" Position Sensor Signal Amplitude > Maximum                                |
|   |                                | P0A4516      | Drive Motor "B" Position Sensor Circuit Voltage Below<br>Threshold                        |
|   |                                | P0A4521      | Drive Motor "B" Position Sensor Signal Amplitude <<br>Minimum                             |
|   |                                | P0A4522      | Drive Motor "B" Position Sensor Signal Amplitude > Maximum                                |
|   |                                | P0A4B16      | Generator Position Sensor Circuit Voltage Below Threshold                                 |
|   |                                | P0A4B21      | Generator Position Sensor Signal Amplitude < Minimum                                      |
|   |                                | P0A4B22      | Generator Position Sensor Signal Amplitude > Maximum                                      |
|   |                                | P0A6012      | Drive Motor "A" Phase V Current (High Resolution) Circuit<br>Short to Battery             |
|   |                                | P0A6014      | Drive Motor "A" Phase V Current (High Resolution) Circuit<br>Short to Ground or Open      |
|   |                                | P0A601C      | Drive Motor "A" Phase V Current (High Resolution) Circuit<br>Voltage Out of Range         |
|   |                                | P0A6312      | Drive Motor "A" Phase W Current (High Resolution) Circuit<br>Short to Battery             |
|   |                                | P0A6314      | Drive Motor "A" Phase W Current (High Resolution) Circuit<br>Short to Ground or Open      |
|   |                                | P0A631C      | Drive Motor "A" Phase W Current (High Resolution) Circuit<br>Voltage Out of Range         |
|   |                                | P0A6912      | Drive Motor "B" Phase V Current(High Resolution) Circuit<br>Short to Battery              |

| MALFUNCTION SYSTEM CONTENT |  | RELEVANT DTC |   |
|----------------------------|--|--------------|---|
|                            |  | P0A6914      | Drive Motor "B" Phase V Current(High Resolution) Circui<br>Short to Ground or Open                |
|                            |  | P0A691C      | Drive Motor "B" Phase V Current(High Resolution) Circui<br>Voltage Out of Range                   |
|                            |  | P0A6C12      | Drive Motor "B" Phase W Current(High Resolution) Circu<br>Short to Battery                        |
|                            |  | P0A6C14      | Drive Motor "B" Phase W Current(High Resolution) Circu<br>Short to Ground or Open                 |
|                            |  | P0A6C1C      | Drive Motor "B" Phase W Current(High Resolution) Circu<br>Voltage Out of Range                    |
|                            |  | P0BE512      | Drive Motor "A" Phase U Current Sensor Circuit Short to Battery                                   |
|                            |  | P0BE514      | Drive Motor "A" Phase U Current Sensor Circuit Short to Ground or Open                            |
|                            |  | P0BE528      | Drive Motor "A" Phase U Current Sensor Signal Bias Leve<br>Out of Range / Zero Adjustment Failure |
|                            |  | P0BE912      | Drive Motor "A" Phase V Current Sensor Circuit Short to Battery                                   |
|                            |  | P0BE914      | Drive Motor "A" Phase V Current Sensor Circuit Short to Ground or Open                            |
|                            |  | P0BE928      | Drive Motor "A" Phase V Current Sensor Signal Bias Leve<br>Out of Range / Zero Adjustment Failure |
|                            |  | P0BED12      | Drive Motor "A" Phase W Current Sensor Circuit Short to<br>Battery                                |
|                            |  | P0BED14      | Drive Motor "A" Phase W Current Sensor Circuit Short to Ground or Open                            |
|                            |  | P0BED28      | Drive Motor "A" Phase W Current Sensor Signal Bias Lev<br>Out of Range / Zero Adjustment Failure  |
|                            |  | P0BF112      | Drive Motor "B" Phase U Current Sensor Circuit Short to Battery                                   |
|                            |  | P0BF114      | Drive Motor "B" Phase U Current Sensor Circuit Short to Ground or Open                            |
|                            |  | P0BF128      | Drive Motor "B" Phase U Current Sensor Signal Bias Leve<br>Out of Range / Zero Adjustment Failure |
|                            |  | P0BF512      | Drive Motor "B" Phase V Current Sensor Circuit Short to Battery                                   |
|                            |  | P0BF514      | Drive Motor "B" Phase V Current Sensor Circuit Short to Ground or Open                            |
|                            |  | P0BF528      | Drive Motor "B" Phase V Current Sensor Signal Bias Leve<br>Out of Range / Zero Adjustment Failure |

| II. | LFUNCTION<br>CONTENT | SYSTEM | RELEVANT DTC |  |
|-----|----------------------|--------|--------------|--|
|     |                      |        | P0BF912      | Drive Motor "B" Phase W Current Sensor Circuit Short to Battery                                    |
|     |                      |        | P0BF914      | Drive Motor "B" Phase W Current Sensor Circuit Short to Ground or Open                             |
|     |                      |        | P0BF928      | Drive Motor "B" Phase W Current Sensor Signal Bias Level<br>Out of Range / Zero Adjustment Failure |
|     |                      |        | P0BFD62      | Drive Motor "A" Phase U-V-W Current Sensor Signal<br>Compare Failure                               |
|     |                      |        | P0BFE62      | Drive Motor "B" Phase U-V-W Current Sensor Signal<br>Compare Failure                               |
|     |                      |        | P0C5013      | Drive Motor "A" Position Sensor Circuit "A" Circuit Open   |
|     |                      |        | P0C5016      | Drive Motor "A" Position Sensor Circuit "A" Circuit Voltage<br>Below Threshold                     |
|     |                      |        | P0C5017      | Drive Motor "A" Position Sensor Circuit "A" Circuit Voltage<br>Above Threshold                     |
|     |                      |        | P0C5513      | Drive Motor "B" Position Sensor Circuit "A" Circuit Open   |
|     |                      |        | P0C5516      | Drive Motor "B" Position Sensor Circuit "A" Circuit Voltage<br>Below Threshold                     |
|     |                      |        | P0C5517      | Drive Motor "B" Position Sensor Circuit "A" Circuit Voltage<br>Above Threshold                     |
|     |                      |        | P0C5A13      | Drive Motor "A" Position Sensor Circuit "B" Circuit Open   |
|     |                      |        | P0C5A16      | Drive Motor "A" Position Sensor Circuit "B" Circuit Voltage<br>Below Threshold                     |
|     |                      |        | P0C5A17      | Drive Motor "A" Position Sensor Circuit "B" Circuit Voltage<br>Above Threshold                     |
|     |                      |        | P0C5F13      | Drive Motor "B" Position Sensor Circuit "B" Circuit Open   |
|     |                      |        | P0C5F16      | Drive Motor "B" Position Sensor Circuit "B" Circuit Voltage<br>Below Threshold                     |
|     |                      |        | P0C5F17      | Drive Motor "B" Position Sensor Circuit "B" Circuit Voltage<br>Above Threshold                     |
|     |                      |        | P0C6413      | Generator Position Sensor Circuit "A" Circuit Open   |
|     |                      |        | P0C6416      | Generator Position Sensor Circuit "A" Circuit Voltage Below<br>Threshold                           |
|     |                      |        | P0C6417      | Generator Position Sensor Circuit "A" Circuit Voltage Above<br>Threshold                           |
|     |                      |        | P0C6913      | Generator Position Sensor Circuit "B" Circuit Open   |
|     |                      |        | P0C6916      | Generator Position Sensor Circuit "B" Circuit Voltage Below<br>Threshold                           |
|     |                      |        | P0C6917      | Generator Position Sensor Circuit "B" Circuit Voltage Above Threshold                              |

|  | RELEVANT DTC |   |
|--|--------------|---|
|  | P0D2D16      | Drive Motor "A" Inverter Voltage Sensor (VH) Circuit Voltage Below Threshold  |
|  | P0D2D17      | Drive Motor "A" Inverter Voltage Sensor (VH) Circuit Voltage Above Threshold  |
|  | P0DFA62      | Generator Phase U-V-W Current Sensor Signal Compare Failure   |
|  | P0E0012      | Generator Phase U Current Sensor Circuit Short to Battery   |
|  | P0E0014      | Generator Phase U Current Sensor Circuit Short to Ground or Open  |
|  | P0E0028      | Generator Phase U Current Sensor Signal Bias Level Out of Range / Zero Adjustment Failure   |
|  | P0E0412      | Generator Phase V Current Sensor Circuit Short to Battery   |
|  | P0E0414      | Generator Phase V Current Sensor Circuit Short to Ground or Open  |
|  | P0E0428      | Generator Phase V Current Sensor Signal Bias Level Out of Range / Zero Adjustment Failure   |
|  | P0E0812      | Generator Phase W Current Sensor Circuit Short to Battery   |
|  | P0E0814      | Generator Phase W Current Sensor Circuit Short to Ground or Open  |
|  | P0E0828      | Generator Phase W Current Sensor Signal Bias Level Out of Range / Zero Adjustment Failure   |
|  | P0E3116      | DC/DC Converter Voltage Sensor "A" (VL) Circuit Voltage<br>Below Threshold  |
|  | P0E3117      | DC/DC Converter Voltage Sensor "A" (VL) Circuit Voltage<br>Above Threshold  |
|  | P0E5111      | DC/DC Converter Current Sensor Circuit Short to Ground  |
|  | P0E5115      | DC/DC Converter Current Sensor Circuit Short to Battery or Open   |
|  | P0E5128      | DC/DC Converter Current Sensor Signal Bias Level Out of<br>Range / Zero Adjustment Failure  |
|  | P0E512A      | DC/DC Converter Current Sensor Signal Stuck In Range  |
|  | P0E9B11      | DC/DC Converter Current Sensor "B" Circuit Low Circuit Short to Ground  |
|  | P0E9B15      | DC/DC Converter Current Sensor "B" Circuit High Circuit Short to Battery or Open  |
|  | P0E9B28      | DC/DC Converter Current Sensor "B" Circuit Range/Performance Signal Bias Level Out of Range / Zero Adjustment Failure                   |
|  | P0EA011      | DC/DC Converter Current Sensor "C" Circuit Low Circuit Short to Ground  |
|  |              | PODFA62 POE0012 POE0014 POE0028 POE0412 POE0414 POE0428 POE0812 POE0814 POE3116 POE3117 POE5111 POE5111 POE5115 POE5128 POE9B15 POE9B15 |

| MALFUNCTION<br>CONTENT | SYSTEM                         | RELEVANT DTC |   |
|------------------------|--------------------------------|--------------|---|
|                        |                                | P0EA015      | DC/DC Converter Current Sensor "C" Circuit High Circuit Short to Battery or Open  |
|                        |                                | P0EA028      | DC/DC Converter Current Sensor "C" Circuit<br>Range/Performance Signal Bias Level Out of Range / Zero<br>Adjustment Failure |
|                        |                                | P1CAC49      | Generator Position Sensor Internal Electronic Failure   |
|                        |                                | P1CAD49      | Drive Motor "A" Position Sensor Internal Electronic Failure   |
|                        |                                | P1CAE49      | Drive Motor "B" Position Sensor Internal Electronic Failure   |
|                        |                                | P1CAF38      | Generator Position Sensor REF Signal Cycle Malfunction<br>Signal Frequency Incorrect  |
|                        |                                | P1CB038      | Drive Motor "A" Position Sensor REF Signal Frequency<br>Incorrect   |
|                        |                                | P1CB138      | Drive Motor "B" Position Sensor REF Signal Frequency<br>Incorrect   |
|                        |                                | P1F7011      | DC/DC Converter Current Sensor "D" Circuit Low Circuit Short to Ground  |
|                        |                                | P1F7015      | DC/DC Converter Current Sensor "D" Circuit High Circuit<br>Short to Battery or Open   |
|                        |                                | P1F7028      | DC/DC Converter Current Sensor "D" Circuit<br>Range/Performance Signal Bias Level Out of Range / Zero<br>Adjustment Failure |
|                        |                                | P1F7562      | DC/DC Converter Current Sensor A/C Correlation Signal Compare Failure   |
|                        |                                | P1F7662      | DC/DC Converter Current Sensor B/D Correlation Signal Compare Failure   |
|                        |                                | P1CFF62      | Hybrid/EV Battery Current/DC/DC Converter Current Signal Compare Failure  |
|                        |                                | P0C7600      | Hybrid/EV Battery System Discharge Time Too Long  |
|                        | Hybrid control system          | P0D2D1C      | Drive Motor "A" Inverter Voltage Sensor Voltage Out of Range  |
|                        |                                | P0E311C      | Boosting Converter Voltage Sensor "A" Voltage Out of Range  |
| System malfunction     | Motor generator control system | P0A9000      | Drive Motor "A" Performance   |
|                        |                                | P0A9100      | Drive Motor "B" Performance   |
|                        |                                | P0A9200      | Hybrid/EV Generator Performance   |
|                        |                                | P0BFF1D      | Drive Motor "A" Circuit Current Out of Range  |
|                        |                                | P0C021D      | Drive Motor "B" System Circuit Current Out of Range   |
|                        |                                | P0C1900      | Drive Motor "A" Execution Torque Performance  |
|                        |                                | P0C1A00      | Drive Motor "B" Execution Torque Performance  |
|                        |                                | P0CA300      | DC/DC Converter Step Up Voltage Performance   |
|                        |                                |              |   |

12/16/24, 8:47 PM

| MALFUNCTION<br>CONTENT | SYSTEM                | RELEVANT DTC |  |  |
|------------------------|-----------------------|--------------|--|--|
|                        |                       | P0E7100      | Generator Execution Torque Performance                                 |  |
|                        |                       | P1CA51D      | Hybrid/EV Generator Circuit Current Out of Range                       |  |
|                        | Hybrid control system | P0AA649      | Hybrid/EV Battery Voltage System Isolation Internal Electronic Failure |  |

## **PROCEDURE**

1. CHECK CONNECTOR CONNECTION CONDITION (INVERTER WITH CONVERTER ASSEMBLY CONNECTOR)

Click here

| RESULT  |   |  |  |
|---|---|--|--|
| ок  | А |  |  |
| NG (The connector is not connected securely.)   | В |  |  |
| NG (The terminals are not making secure contact or are deformed, or water or foreign matter exists in the connector.) |   |  |  |

B CONNECT SECURELY

C REPAIR OR REPLACE HARNESS OR CONNECTOR



2. CHECK GENERATOR RESOLVER CIRCUIT

Click here NFO



3. CHECK MOTOR RESOLVER CIRCUIT





4. CHECK GENERATOR HIGH-VOLTAGE CIRCUIT

Click here NFO



5. CHECK MOTOR HIGH-VOLTAGE CIRCUIT

Click here NFO

# NEXT

6. CHECK HV BATTERY HIGH-VOLTAGE LINE CIRCUIT

Click here



7. CHECK INVERTER LOW-VOLTAGE CIRCUIT

Click here

#### HINT:

If the "Inverter Low-voltage Circuit" inspection results are normal, perform the next step.

**NEXT** REPLACE INVERTER WITH CONVERTER ASSEMBLY

