| Last Modified: 12-04-2024 | 6.11:8.1.0 | Doc ID: RM10000002BNI3 | |
|---|--------------------|-----------------------------|---|
| Model Year Start: 2023 | Model: Prius Prime | Prod Date Range: [03/2023 - |] |
| Title: LIGHTING (EXT): LIGHTING SYSTEM: HOW TO PROCEED WITH TROUBLESHOOTING; 2023 - 2024 MY Prius | | | |
| Prius Prime [03/2023 -] | | | |

HOW TO PROCEED WITH TROUBLESHOOTING

CAUTION / NOTICE / HINT

HINT:

- Use the following procedure to troubleshoot the lighting system.
- *: Use the GTS.

PROCEDURE

VEHICLE BROUGHT TO WORKSHOP

NEXT

2. CUSTOMER PROBLEM ANALYSIS

HINT:

- In troubleshooting, confirm that the problem symptoms have been accurately identified. Preconceptions should be discarded in order to make an accurate judgment. To clearly understand what the problem symptoms are, it is extremely important to ask the customer about the problem and the conditions at the time the malfunction occurred.
- Gather as much information as possible for reference. Past problems that seem unrelated may also help in some cases.
- The following 5 items are important points for problem analysis:

| What | Vehicle model, system name |
|------------------------|--|
| When | Date, time, occurrence frequency |
| Where | Road conditions |
| Under what conditions? | Driving conditions, weather conditions |
| How did it happen? | Problem symptoms |

NEXT

3. PRE-CHECK

12/15/24, 4:04 PM LIGHTING (EXT): LIGHTING SYSTEM: HOW TO PROCEED WITH TROUBLESHOOTING; 2023 - 2024 MY Prius Prius Prime [03...

(a) Measure the auxiliary battery voltage with the ignition switch off.

Standard Voltage: 11 to 14 V

If the voltage is below 11 V, recharge or replace the auxiliary battery before proceeding to the next step.

- (b) Check the fuses and relays.
- (c) Check the connector connections and terminals to make sure that there are no abnormalities such as loose connections, deformation, etc.

4. CHECK COMMUNICATION FUNCTION OF CAN COMMUNICATION SYSTEM*

(a) Using the GTS, check for CAN communication system DTCs.

for HEV Model: Click here

for PHEV Model: Click here

| RESULT | PROCEED TO | |
|-------------------------|------------|--|
| CAN DTCs are not output | A | |
| CAN DTCs are output | В | |

B GO TO CAN COMMUNICATION SYSTEM

for HEV Model: Click here

for PHEV Model: Click here

5. CHECK COMMUNICATION FUNCTION OF CXPI COMMUNICATION SYSTEM*

(a) Using the GTS, check for CXPI communication system DTCs.

Click here

| RESULT | PROCEED TO |
|-------------------------|------------|
| CAN DTCs are not output | А |
| CAN DTCs are output | В |

B GO TO CXPI COMMUNICATION SYSTEM



| 6. | CHECK FOR DTC* |
|----|----------------|
|----|----------------|

(a) Check for DTCs.

Body Electrical > Main Body > Trouble Codes

| RESULT | PROCEED TO |
|---------------------|------------|
| DTCs are not output | A |
| DTCs are output | В |

B GO TO DIAGNOSTIC TROUBLE CODE CHART

A

7. PROBLEM SYMPTOMS TABLE

(a) Refer to Problem Symptoms Table.

Click here

| RESULT | PROCEED TO |
|---|------------|
| Fault is not listed in Problem Symptoms Table | A |
| Fault is listed in Problem Symptoms Table | В |

B GO TO PROBLEM SYMPTOMS TABLE



| 8. | OVERALL ANALYSIS AND TROUBLESHOOTING* | | | |
|------------------------------|---------------------------------------|--|--|--|
| (a) Operation Check. | | | | |
| Click her | e INFO | | | |
| (b) Tern | ninals of ECU. | | | |
| Click her | e INFO | | | |
| (c) Data List / Active Test. | | | | |
| Click her | e INFO | | | |
| (d) On-\ | vehicle Inspection. | | | |
| (e) Inspection. | | | | |
| | | | | |

NEXT

| 9. | ADJUST, REPAIR OR REPLACE | |
|----|---------------------------|--|
| | | |

NEXT



| 10. | CONFIRMATION TEST | |
|-----|-------------------|---|
| | | 1 |

Ф ТОУОТА

NEXT > END

•